



Shanghai Cotrun Trading Co., Ltd.

科 创



Your Partner in Chinese Truck & Equipment Manufacturing

Email: cotruntrading@gmail.com

Tel: 0086 13817057863



Name	SINOTRUKHOWO 6X4 DUMPTRUCK ZZ3257V3647B1
Engine	300hp, 340hp, 380hp, 400hp
Axles	Front: VGD95,Rear:HC16/MCX16ZG/MCP16ZG
Cabin	HW70/HW76 Volvo Type,with/without bed, A/C. LHD/RHD
Dumping box	5200/5400x2300x1500mm.18~20m3volume,25~30Tload. Thickness:floor 8mm side 4/6mm
Lifting type	Middle lift
Tire	12.00R20 Radial tube tire(option 12R22.5, 315/80R22.5)



Name	SINOTRUKHOWONX6X4DUMPTRUCKZZ3257V364JB1
Engine	380hp,400hp, 430hp
Axles	Front:VGD95,Rear:HC16/MCP16ZG
Cabin	H77L cabin, with one bed, A/C.
Transmission& steering	HW19710 Manuel, 10F/2R;LEFT orRIGHTDRIVE
Dumping box	5400/5600x2300x1500mm.18~20m3 volume,25~30T load. Thickness: floor 8mm side 4mm
Lifting type	Middle lift
Tire	12.00R20 Radial tube tire(option 12R22.5, 315/80R22.5)



Name	SINOTRUKHOWO 6X4 DUMPTRUCK ZZ3257V3847B1
Engine	300hp, 340hp, 380hp,400hp
Axles	Front: VGD95,Rear:HC16/MCX16ZG/MCP16ZG
Cabin	HW76 Volvo Type, with one bed, A/C. LHD/RHD
Transmission	HW19710 Manual,10F/2R
Dumping box	5800x2300x1500mm.20m3 volume, 30T load. Thickness: floor 8mm side 6mm
Lifting type	Front lift (Option HYVA brand)
Tire	12.00R20 Radial tube tire(option 12R22.5, 315/80R22.5)



Name	SINOTRUKHOWONX8X4DUMPTRUCK ZZ3317V356JB1
Engine	380hp, 400hp, 430hp
Axles	Front: VGD95,Rear:HC16/MCP16ZG
Cabin	H77L cabin, with one bed, A/C.
Transmission& steering	HW19710 Manuel, 10F/2R;LEFTor RIGHT DRIVE
Dumping box	7300/7600/8000x2300x1500/1800mm.26~33m3 volume,30T~40T load. Thickness: floor 8mm side 6mm
Lifting type	Front lift (option HYVA brand)
Tire	12.00R20 Radial tube tire(option 12R22.5, 315/80R22.5)



Name	SINOTRUKHOWO8X4 DUMPTRUCK ZZ3317V3847B1
Engine	380hp,400hp,430hp
Axles	Front: VGD95,Rear:HC16/MCX16ZG/MCP16ZG
Cabin	HW76 Volvo Type, with one bed, A/C. LHD/RHD
Transmission	HW19710 Manual,10F/2R
Dumping box	7300/7600/8000x2300x1500/1800mm.26~33m3 volume,30T~40T load. Thickness: floor 8mm side 6mm
Lifting type	Front lift (option HYVA brand)
Tire	12.00R20 Radial tube tire(option 12R22.5, 315/80R22.5)



Name	SINOTRUKHOWO6x4MININGDUMPTRUCKZZ5707S3840AJ
Engine	430hp
Axles	Front: VGK20 Rear: MCK45ZG
Cabin	HW7D Single type mining cabin.
Transmission& steering	HW21712Manuel, 12F/2R;LEFT or RIGHTDRIVE
Dumping box	5800*3100*1600/1700/1800mm.29-33m³,50-60T loading capacity
Lifting type	Front lifting system(HYVA/Permco)
Tire	14.00-25(option.14.00R25)



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4187V3617B1
Cabin	HW76, Single bed with A/C HW79,2 beds with A/C
Driving type	4x2
Engine	400hp, 430hp
Transmission	HW19710/HW19712
Axles	Front VGD71 ,Rear ST16
Fuel tank	400L
Tyre	295/80R22.5,315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4257V3247B1
Cabin	HW76, Single bed with A/C Hw79, 2 beds with A/C
Driving type	6x4
Engine	380hp,400hp, 430hp
Transmission	HW19710/HW19712
Axles	Front VGD71/VGD95,RearMCY13BGS/ST16/HC16
Fuel tank	400L/600L
Tyre	12.00R20/295/80R22.5,315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4257V3247B1
Cabin	HW79,2 beds with A/C
Driving type	6x4
Engine	400hp, 430hp
Transmission	HW19710/HW19712
Axles	Front VGD71/VGD95, Rear ST16/HC16
Fuel tank	400L/600L
Tyre	12.00R20/295/80R22.5,315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK NX TRACTOR TRUCK
Model	ZZ4257V344JB1
Cabin	H77L Single bed with A/C
Driving type	6x4
Engine	300hp, 340hp, 380hp, 400hp
Transmission	HW19710/HW19712
Axles	Front VGD71/VGD95, Rear MCY13BGS/MCP16ZG
Fuel tank	400L
Tyre	315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SSINOTRUK HOWO TRACTOR TRUCK
Model	ZZ4257V344JB1
Cabin	H78L, 2 beds with A/C, luxury type
Driving type	4x2
Engine	300hp, 340hp, 380hp,400hp
Transmission	HW19710/HW19712
Axles	Front VGD71/VGD95, Rear MCY13BGS/MCP16ZG
Fuel tank	400L/600L
Tyre	12.00R20,295/80R22.5,315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK SITRAK T7H TRACTOR TRUCK
Model	ZZ4257V32X
Cabin	T7H-G,2 beds with A/C,luxury type
Driving type	6x4
Engine	430hp
Transmission	HW19710/HW19712
Axles	Front HR7, Rear MCY13Q
Fuel tank	400L/600L
Tyre	12.00R20,295/80R22.5,315/80R22.5,12R22.5
Fifth wheel	50#/90#



Name	SINOTRUK HOWO4X2 WATER TANK TRUCK
Driving type	4x2
Cabin	HW76
Engine	300hp, 340hp
Axles	Front VGD71,Rear ST16
Tyre	12R22.5,295/80R22.5,315/80R22.5
Tank Capacity	10m³/12m³/15m³



Name	SINOTRUK HOWO 4X2 FUEL TANK TRUCK
Driving type	4x2
Cabin	HW76
Engine	300hp, 340hp
Axles	Front VGD71, Rear ST16
Tyre	11R22.5,12R22.5,295/80R22.5,315/80R22.5
Tank Capacity	10m³/12m³/15m³



Name	SINOTRUK HOWOTRUCKMOUNTEDCRANE
Driving type	4x2
Engine	300hp, 340hp
Axles	Front VGD71, Rear ST16
Tyre	295/80R22.5,315/80R22.5,12.00R20
Crane type	Straight boom, Folded boom
Crane lifting capacity	1,1.6,3.2,4,5T,6.3T



Name	SINOTRUK HOWO MIXER TRUCK
Driving type	6x4
Cabin	HW76
Engine	340hp, 380hp
Axles	FrontVGD95,RearHC16/MCP16ZG/MCX16ZG
Tyre	11R22.5, 12R22.5, 295/80R22.5, 315/80R22.5, 11.00R20, 12.00R20
Carriage dimension	7m³/8m³/9m³/10m³



Name	SINOTRUK HOWO 6X4 WATERTANK TRUCK
Driving type	6x4
Cabin	HW76
Engine	300hp,340hp, 380hp
Axles	FrontVGD95,Rear MCP16ZG/MCX16ZG
Tyre	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Tank Capacity	15m³/18m³/20m³/25 m³



Name	SINOTRUK HOWO 6X4 FUEL TANK TRUCK
Driving type	6x4
Cabin	HW76
Engine	300hp, 340hp, 380hp, 400hp
Axles	Front VGD95,Rear MCX16ZG/MCP16ZG
Tyre	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Tank Capacity	15m3/18m³/20m³/25m³



Name	SINOTRUK HOWO TRUCK MOUNTED CRANE
Driving type	6x4
Engine	300hp, 340hp, 380hp,400hp
Axles	Front VGD95, Rear MCP16ZG/MCX16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Crane type	Straight boom, Folded boom
Crane lifting capacity	6.3,8,10,12,14T



Name	SINOTRUKHOWOMIXERTRUCK
Driving type	8x4
Cabin	HW76
Engine	380hp,400hp
Axles	FrontVGD95,RearHC16/MCX16ZG
Tyre	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	12m³/14m³



Name	SINOTRUKHOWO8X4WATERTANKTRUCK
Driving type	8x4
Cabin	HW76
Engine	300hp,340hp, 380hp,400hp
Axles	Front VGD95,Rear MCP16ZG/MCX16ZG
Tyre	12R22.5,295/80R22.5, 315/80R22.5,12.00R20
Tank Capacity	25m³/28m³ / 30 m³



Name	SINOTRUK HOWO 8X4 FUEL TANK TRUCK
Driving type	8x4
Cabin	HW76
Engine	300hp, 340hp, 380hp,400hp
Axles	FrontVGD95,Rear MCX16ZG/MCP16ZG
Tyre	12R22.5, 295/80R22.5,315/80R22.5,12.00R20
Tank Capacity	25m³/28m³/30 m³



Name	SINOTRUKHOWOTRUCK MOUNTED CRANE
Driving type	8x4
Engine	340hp, 380hp, 400hp
Axles	Front VGD95,Rear MCP16ZG/MCX16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Crane type	Straight boom, Folded boom
Crane lifting capacity	15,16,18,20T



Name	SINOTRUK HOWO NX MIXER TRUCK
Driving type	6x4
Cabin	H77L
Engine	380hp,400hp
Axles	Front VGD95,Rear MCP16ZG/MCX16ZG
Tyre	12R22.5, 295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	7m³/8m³/9m³/10m³



Name	SINOTRUKHOWOCARGOTRUCK15T
Driving type	4x2
Cabin	HW76
Engine	300hp
Axles	Front VGD71,Rear ST16
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage length	5600m,6200mm

Front VGD71,Rear HC16/MCP16ZG/MCX16ZG



Name	Garbage Truck- Swing type
Driving type	4x2, 6x4
Cabin	1880mm,2080mm, HW70,HW76
Engine	300hp, 340hp,400hp
Axles	Front VGD95,Rear ST16/HC16/MCY13Q
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	5m³/6m³/7m³/8m³/10m³/12m³



Name	SINOTRUKHOWO6X6CARGOTRUCK
Driving type	6x6
Engine	HW76
Axles	380hp, 400hp
Tyre	STR,ST16
Crane type	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Body dimensions	6100/7000/7500/8400/9300×2326×800mm



Name	LIGHT CARGO BOX TRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab, 3 seats,1 bed,AC
Engine	80hp,90hp,110hp,116hp,120hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Carriage dimension	3850/4200/4850/5150/6250×2050×2050mm
Loading capacity	1.5T,4T,5T,6T,8T,10T,12T,15T



Name	SINOTRUK HOWO CARGO TRUCK 25T
Driving type	6x4
Cabin	HW76
Engine	300hp, 340hp, 380hp,400hp
Axles	Front VGD71/VGD95,Rear ST16/HC16/MCX16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage length	7300mm,7600mm,8600,9500mm



Name	Garbage Truck- Compressed type
Driving type	4x2, 6x4
Cabin	HW70,HW76
Engine	300hp,340hp,400hp
Axles	FrontVGD95,Rear ST16/HC16/MCY13Q
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	6m³/8m³/10m³/12m³/14m³/16m³/18m³/22m³/25m³



Name	SINOTRUK HOWO 6X6 DUMP TRUCK
Driving type	6x6
Engine	HW76
Axles	380hp, 400hp
Tyre	STR,ST16
Crane type	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Body dimensions	5200×2300×1400mm/5600×2300×1400mm



Name	LIGHTFLATBEDTRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab, 3 seats,1 bed,AC
Engine	80hp,90hp,110hp,116hp,120hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Carriage dimension	3850/4200/4850/5150/6250×2050×550mm
Loading capacity	1.5T, 4T,5T,6T,8T,10T, 12T,15T



Name	SINOTRUKHOWO CARGO TRUCK 30T
Driving type	8x4
Cabin	HW76,HW79
Engine	380hp,400hp
Axles	FrontVGD95,RearHC16/MCX16ZG/MCP16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage length	8600mm,9500mm



Name	Garbage Truck- Hook lift type
Driving type	4x2,6x4
Cabin	HW70,HW76
Engine	300hp, 340hp,400hp
Axles	Front VGD95,Rear ST16/HC16/MCY13Q
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	5m3/6m³/7m³/8m³/10m³/12m³



Name	SINOTRUK HOWO 6X6 TRACTOR TRUCK
Driving type	6x6
Cabin	HW76
Engine	380hp, 400hp
Axles	STR,ST16
Tyre	12R22.5,295/80R22.5,315/80R22.5,12.00R20
Traction Pin	50#/90#



Name	LIGHT DUMP TRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab,3 seats,1 bed,AC
Engine	110hp,116hp,120hp,130hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Carriage length	3600m/3800/4200/4500×2000×600mm
Loading capacity	1.5T,4T,5T,6T,8T,10T,12T,15T



Name	LIGHT MIXERTRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab, 3 seats,1 bed,AC
Engine	130hp/140hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Mixer tank	4m³/5m³/6m³



Name	CONCRETE PUMP TRUCK
Driving type	4x2
Engine	300hp
Axles	Front VGD71, Rear ST16
Tyre	295/80R22.5,315/80R22.5,12.00R20
Output Capacity	60m³/h,92m³/h
Boom length	28M,31m,33m



Name	Container Semi Trailer
Whole Dimension	13000×2490×1557mm
Loading capacity	40 ton
Container Type	1 x 20 feet/2 x 20 feet/1 x 40 feet
Axle	3 axles,13Taxle,FUWA/BPW/Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)/ Air suspension
Tyre	11R22.5,12R22.5,295/80R22.5,315/80R22.5,11.00R20,12.00R20



Name	Bulk Cement Tank Semi Trailer
Whole Dimension	10100*2500*3990mm
Tank capacity	35m3-50m3
Diesel engine & Air compressor	4102 diesel engine & 12m3 / min air compressor
Axle	3 axles,13T axle,FUWA /BPW/Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20,12.00R20



Name	LIGHT COMPRESSOR GARBAGE TRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab, 3 seats,1 bed,AC
Engine	110hp,116hp,120hp,130hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Loading capacity	6m³/8m³/10m³/12m³



Name	CONCRETE PUMP TRUCK
Driving type	6x4
Engine	300hp,340hp,380hp,400hp
Axles	Front VGD95/VGD71,Rear ST16/HC16/MCX16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Output Capacity	120m³/h
Boom length	37M



Name	Dumper Semi Trailer
Whole Dimension	10235x2730x3560mm
Dumper dimension	9000x2500x1600mm
Loading Capacity	50 ton
Axle	3 axles,13T axle,FUWA /BPW/Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20,12.00R20



Name	Fuel Tank Semi Trailer
Whole Dimension	13000x2495x3950mm
Tank capacity	35m3-45m3
Pump	Pump for input and output
Axle	3 axles,13T axle, FUWA /BPW /Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20,12.00R20



Name	LIGHT TANK TRUCK
Driving type	4x2
Cabin	1880mm/2080mm extended cab,3 seats,1 bed,AC
Engine	110hp,116hp,120hp,130hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Loading medium	Fuel/Water
Loading capacity	5000L/6000L/8000L/10000L



Name	CONCRETE PUMP TRUCK
Driving type	8x4
Engine	380hp, 400hp
Axles	Front VGD95,RearHC16/MCX16ZG/MCP16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Output Capacity	120m³/h, 172m³/h
Boom length	42M/45M/48M/52M



Name	Low Bed Semi Trailer
Whole Dimension	13000mm*3000mm*1650mm
Loading Capacity	60 ton
Main Beam	Height:500mm, upper plate 18mm, middle plate 14mm, lower plate 20mm
Axle	3 axles,16T axle,FUWA/BPW/Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20,12.00R20



Name	Side Wall Cargo Semi Trailer
Whole Dimension	13000mm*2490mm*2860mm
Side Wall Height	600-1200mm
Loading capacity	40 ton
Axle	3 axles,13T axle,FUWA/BPW/Huajin Brand
Suspension	Mechanical suspension (Germany Type or America Type)
Tyre	12R22.5,315/80R22.5,11.00R20,12.00R20




Name	Logging Truck
Driving type	6x4 tractor head+2 axes trailer
Cabin	HW76,HW79
Engine	266hp,290hp,336hp,371hp,420hp
Axles	Front HF7/HF9,Rear ST16/MCY13Q/HC16
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Towbar dimension	8000/273/12mm; Height of Stand column:1450mm
Width of Portal frame	2500mm



Name	Asphalt Synchronous Sealing Truck
Driving type	6x4
Cabin	HW76
Engine	340hp,380hp,400hp
Axles	FrontVGD95,RearHC16/MCX16ZG/MCP16ZG
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Tank capacity	4ton/6ton/8ton/10ton/12ton



Name	Bulk Cement truck
Driving type	6x4, 8x4
Cabin	HW76,HW79
Engine	266hp,290hp,336hp,371hp
Axles	FrontHF7/HR7,RearST16/MCY13Q/HC16
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Carriage dimension	25 m³(30T), 30 m³(35T),33 m³(40T),




Name	SINOTRUK HOVA Port Tractor Truck
Driving type	4x2
Cabin	D12; D10R Single side cabin,AC
Engine	266hp,290hp
Axles	Front:HW13000KG;Rear:STR 16000KG
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Brake system	WABACO+VOSS



Name	Sewage Suction truck
Driving type	4x2,6x4
Cabin	HW76
Engine	300hp, 340hp, 380hp,400hp
Axles	FrontVGD71/VGD95,RearST16/HC16/MCX16ZG/MCP16ZG
Tyre	295/80R22.5,315/80R22.5,12.00R20
Carriage dimension	3m³/5m³/8m³/10m³/12m³/15m³/16m³



Name	Side Lifter truck
Driving type	6x4 Tractor head + 3 axes trailer with lifting system
Cabin	HOWO/A7
Engine	336hp,371hp,420hp
Axles	Front HF9, Rear HC16
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Loading Capacity	2 units 20ft or 1unit 40ft container, 37T



Name	Wrecker Truck
Driving type	4x2,6x4,8x4
Cabin	HW70,HW76
Engine	266hp,290hp,336hp,371hp
Axles	FrontHF7/HF9,RearST16/MCY13Q/HC16
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Hoisting/ Loading capacit	3.2ton/5.2ton,5.2/8.2ton,8ton/9.6ton,9ton/14.5ton,10ton/16ton



Name	Fire truck
Driving type	4x2,6x4,8x4
Cabin	HW76
Engine	380hp,400hp
Axles	Front VGD95, Rear HC16/MCP16ZG
Tyre	295/80R22.5,315/80R22.5,11.00R20,12.00R20
Carriage dimension	3 m³/5m³/10m³/12m³/16 m³/25m³



Name	Mobile Lifter Truck
Driving type	4x2
Cabin	1880mm/2080mm extended cab, 3 seats,1 bed,AC
Engine	110hp,116hp,120hp,140hp,160hp
Tyre	7.5-16,8.0-16,8.25-16,9.00-20,10.0-20
Loading Capacity	12m,14m,16m,18m







Flywheel shell



Gear room



Flywheel



Piston



Cylinder Liner



Link



Camshaft



Generator



Starter



Supercharger



Valve



Air compressor



Water pump



Oil pump



Gear



High pressure pump



Fan clutch



Filters



Repairkit



Exhaust manifold



Oil cooler cover



Tubing,water pipe series




Cylinder Head



Bush

Engine parts and accessories



 Steyr front hub	 09/10 HOWO front hub (butterfly brake)	 HOWO models knuckle 09/10	 Knuckle bracket	 HOWO big bend big hole lever arm
 HOWO 09/10 disc brake sheet	 The middle of the rear axle	 In the middle of the bridge assembly	 Balance shaft assembly	 AC16 axle housing and wheel assembly
 Steyr/ AC16 wheel ring and bracket	 07/08 HOWO disconnect balance shaft belt holder	 Steyr Axle	 Through shaft	 0166 differential housing and assembly
 Stey bridge cover(07/08)	 Steyr bridge case(07/08)	 Steyr (Red Rock) the rear axle reducerhousing	 Angle gear flange	 A balance shaft housing
 Former steel plate	 Before spring front bracket	 HOWO AC brake plate	 Brake shoe assembly	 Rear axle chamber bracket



